| Ref<br># | Hits | Search Query   | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|--|---------------------|---------|------------------|
| L1       | 1    | 10/762012  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/20 11:11 |
| S3       | 4    | kuhn-reid-\$.in.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/19 07:27 |
| S4       | 4    | 11/116598  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/19 07:28 |
| S5       | 1    | 11/191448  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR ·                | ON      | 2007/05/19 07:28 |
| S6       | 3    | masse-patrick-\$.in.                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/19 07:29 |
| S7       | 1    | coyne-alexander-\$.in.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON .    | 2007/05/19 07:31 |
| S8       | 1    | 10/762012  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/19 07:32 |
| S9       | 0    | 10/762012 AND (authentication<br>NEAR5 time SAME logc)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/19 09:58 |
| S10      | 0    | (credential near inforamtion) SAME<br>(first NEAR logic) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/05/19 07:34 |

| S11 | 2      | (credential near information) SAME<br>(first NEAR logic)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON   | 2007/05/19 07:34 |
|-----|--------|--|--|----|------|------------------|
| S12 | . 2    | (credential near information) SAME<br>(first NEAR logic)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/19 07:35 |
| S13 | 100668 | time NEAR information  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/19 07:35 |
| S14 | 3      | (time NEAR information) SAME<br>(authenticat\$4 NEAR logic)                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/19 07:35 |
| S15 | 1      | 10/762012 AND (authentication NEAR5 (nonce data))                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON   | 2007/05/19 09:43 |
| S16 | 1      | 10/762012 AND (authentication<br>NEAR5 (nonce ADJ data))                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON   | 2007/05/20 07:55 |
| S17 | 1      | 10/762012 AND ((nonce ADJ data)<br>SAME (timestamp ADJ data))                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON   | 2007/05/19 09:45 |
| S18 | 1      | 10/762012 AND (authentication<br>SAME (nonce ADJ data) SAME<br>(timestamp ADJ data)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON . | 2007/05/19 14:37 |
| S19 | 1      | 10/762012 AND (validate SAME (nonce ADJ data) SAME (timestamp ADJ data))             | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON   | 2007/05/19 09:48 |

|     |   | <del> </del>  | ı  | т    | 1  | T                |
|-----|---|---|--|------|----|------------------|
| S20 | 1 | 10/762012 AND (information SAME (timestamp ADJ data))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 09:48 |
| S21 | 1 | 10/762012 AND ((authentication NEAR request) SAME identifier)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 09:59 |
| S22 | 1 | 10/762012 AND ((authentication<br>NEAR request) SAME (identifier OR<br>signature OR nonce OR timestamp<br>OR credential)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 10:02 |
| S23 | 1 | 10/762012 AND ((authentication<br>NEAR approval ADJ information)<br>SAME token)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 10:03 |
| S24 | 1 | 10/762012 AND (token)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 10:04 |
| S25 | 1 | 10/762012 AND (access ADJ token)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 10:36 |
| S26 | 0 | 10/762012 AND (output\$4 NEAR5 reequest)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 10:36 |
| S27 | 1 | 10/762012 AND (output\$4 NEAR5 request)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/05/20 08:59 |
| S28 | 1 | 10/762012 AND (receiv\$4 NEAR3 (authentication ADJ request))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 11:02 |
| S29 | 1 | 10/762012 AND (outputt\$4 NEAR3 (authentication ADJ request))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/19 11:03 |

| S30 | 1 | 10/762012 AND ((authentication<br>ADJ logic) NEAR3 (authentication<br>ADJ request)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 11:07 |
|-----|---|---|--|----|----|------------------|
| S31 | 0 | 10/762012 AND (identify\$4 NEAR4 (authentication ADJ inforamtion))                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 11:08 |
| S32 | 1 | 10/762012 AND (identify\$4 NEAR4 (authentication ADJ information))                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 13:16 |
| S33 | 1 | 10/762012 AND (biometric)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 13:19 |
| S34 | 1 | 10/762012 AND (client SAME server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 08:10 |
| S35 | 1 | 10/762012 AND (certificate)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 13:24 |
| S37 |   | 10/762012 AND ((second ADJ logic)<br>SAME (authentication ADJ<br>response))         | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 16:16 |
| S38 | 1 | 10/762012 AND ((authentication<br>ADJ response) SAME (second ADJ<br>logic))         | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 16:20 |
| S39 | 1 | 10/762012 AND ((authentication<br>ADJ request) SAME (second ADJ<br>logic))          | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 16:17 |
| S41 | 1 | 10/762012 AND ((authentication<br>ADJ response) SAME<br>(authentication ADJ logic)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/19 17:01 |

| S42 | 1     | 10/762012  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 07:32 |
|-----|-------|--|--|----|----|------------------|
| S48 | 2     | (trusted NEAR3 authentication NEAR4 credential).ti.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 07:38 |
| S49 | 1     | 10/762012 AND (signature)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 07:55 |
| S50 | 17676 | (713/168-172 OR 713/178 OR 713/180 OR 713/182-186 OR 713/155-156 OR 713/176 OR 726/2-10 OR 726/17-21 OR 726/26-30 OR 380/255 OR 380/259 OR 380/282 OR 380/285 OR 380/44 OR 380/30 OR 380/229-232 OR 380/247).ccls. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 08:40 |
| S51 | 2308  | authentication NEAR3 exchange  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 08:18 |
| S52 | 55    | authentication NEAR3 exchange<br>NEAR10 (authentication NEAR2<br>request)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 08:23 |
| S53 | 7     | (authentication NEAR credential) SAME exchange SAME (authentication NEAR2 request)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 08:39 |
| S55 | 2     | "6,044,471".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:59 |

| S56 | 2 | "5,999,711".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/20 08:47 |
|-----|---|-----------------|--|------|----|------------------|
| S57 | 2 | "6,367,009".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/20 08:48 |
| S58 | 2 | "6,377,691".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/05/20 08:49 |
| S59 | 2 | "6,643,774".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/20 08:49 |
| S60 | 2 | "6,651,168".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/20 08:51 |
| S61 | 2 | "6,785,825".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/20 08:52 |
| S63 | 2 | "20030188193"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/05/20 09:15 |

|     | r    | ·   | , -  |    |    | · · · · · · · · · · · · · · · · · · · |
|-----|------|---|--|----|----|---------------------------------------|
| S64 | 2    | "20030212806"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 08:53                      |
| S65 | 2    | "20050210252"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 08:59                      |
| S67 | 2    | "20040243832"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 09:04                      |
| S68 | . 2  | "20020169988"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 09:04                      |
| S69 | 1408 | authentication NEAR (hardware OR firmware OR software)                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 09:20                      |
| S70 | 86   | timestamp NEAR4 nonce   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 09:19                      |
| S72 | 143  | timestamp SAME nonce  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 09:19                      |
| S74 | 156  | (authentication NEAR (hardware OR firmware OR software)) SAME (time OR timestamp) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 09:20                      |

|       |      |  |  | ,  |      |                  |
|-------|------|--|--|----|------|------------------|
| S75 , | 53   | S50 and S74  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2007/05/20 09:33 |
| S76   | 4902 | authentication ADJ request   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:34 |
| S77   | 967  | (authentication ADJ request) SAME (sign\$2 OR encrypt\$2 SAME key)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:35 |
| S78   | 477  | (authentication ADJ request) SAME (sign\$2 OR encrypt\$2) SAME key   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:37 |
| S79   | 102  | (authentication NEAR information) SAME (credential NEAR information) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:38 |
| S80   | 4    | S78 and S79  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:38 |
| S82   | 2    | "20030210788"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON   | 2007/05/20 09:45 |

| ſ <del></del> | 1    |  |  |    | 1    |                  |
|---------------|------|--|--|----|------|------------------|
| S83           | 2    | "20030210787"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:41 |
| S84           | 2    | "20030130857"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:44 |
| S85           | 216  | ((authentication NEAR information) SAME time WITH authentication). clm.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:54 |
| S86           | 54   | ((authentication NEAR request)<br>SAME authentication WITH<br>credential).clm. | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:54 |
| S87           | 3340 | (authentication SAME (sign\$2 OR encrypt\$2)).clm.                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:54 |
| S88           | . 1  | S85 and S86 and S87  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:50 |
| S89           | 1    | S85 and S86  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:50 |
| S90           | 10   | S86 and S87  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:50 |
| S95           | 1813 | ((authentication NEAR information)<br>SAME time WITH authentication)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2007/05/20 10:01 |
| S96           | 313  | ((authentication NEAR request)<br>SAME authentication WITH<br>credential)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/05/20 09:54 |

| S97      | 23943 | (authentication SAME (sign\$2 OR encrypt\$2))                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 09:55 |
|----------|-------|--|--|----|----|------------------|
| S98      | 29    | S95 and S96  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 09:55 |
| S99      | 29    | ((authentication NEAR information)<br>SAME timestamp WITH<br>authentication) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:21 |
| S10<br>0 | 18865 | biometric  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:23 |
| S10<br>1 | 7531  | biometric WITH user  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:33 |
| S10<br>2 | 476   | collect\$4 SAME biometric WITH user  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:24 |
| S10<br>3 | 4497  | authentication ADJ request   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:24 |
| S10<br>4 | 65    | (authentication ADJ request) NEAR3 sign\$2 SAME key                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:25 |
| S10<br>5 | 65    | S103 and S104  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:28 |
| S10<br>6 | 27    | S102 and S103  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:28 |

| S10<br>7 | 476    | S101 AND S102   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:33 |
|----------|--------|---|--|----|----|------------------|
| S10<br>8 | 146    | S50 and S107  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:41 |
| S11<br>2 | 2      | "20050005135"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:47 |
| S11<br>3 | 1510   | access\$4 NEAR3 biometric                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:48 |
| S11<br>4 | 130698 | (sign\$4 OR encrypt\$4) WITH key                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:48 |
| S11<br>5 | 0      | (sign\$4 OR encrypt\$4) NEAR5<br>autentication WITH key | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:49 |
| S11<br>6 | 6284   | (sign\$4 OR encrypt\$4) NEAR5 authentication WITH key   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:49 |
| S11<br>7 | 42     | (encrypt\$ NEAR authentication ADJ request)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT;<br>IBM_TDB                       | OR | ON | 2007/05/20 10:49 |
| S11<br>9 | 5      | trust\$4 ADJ authentication ADJ credential              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/20 10:59 |